Scissor Lift

Used Scissor Lift Oklahoma - Scissor lifts are industrial machines that rely on a configuration of crisscrossed linked steel arms. Scissor lifts create an “X” support network to facilitate vertical lifting. There is a rectangular platform that is attached to the top of the scissor lift. For additional operator safety and to keep items along the edge of the platform secure, there are support railings. This machine maintains a low profile that is ideal for hard surfaces such as concrete and other compact surfaces. Scissor lifts can use an electric motor or a combustion engine to transport and lift the machine. Since the scissor lift functions on a vertical plane, if it needs to be repositioned horizontally, the operator will have to move it into place. Rough terrain and regular lift models rely on the same lifting technology to maneuver the lifting components. Rough terrain scissor lifts are adapted for travelling on uneven locations. These machines rely on large all-terrain tires to allow rough terrain scissor lifts to traverse difficult locations while offering higher ground clearance. Certain models offer 4WD making them able to traverse through dirty areas. The higher center of gravity works in conjunction with lower lifting heights. These machines can be intimidating if you have never been on one or operated one previously. Even though images of scissor lifts moving with the wind are easy to imagine, know that they have been specifically designed to provide complete operator safety and you won’t even feel the unit moving as it ascends or while it is extended. Rigorous safety testing has to be completed prior to selling these machines. It is natural to feel unsure of these units until you can familiarize yourself with them. Maintain safety procedures at all times. Depending on the application, there are a variety of electric scissor lift models to pick from. The scissor lift model you will need will largely depend on the types of jobs you will need to do. How high you need to travel and how heavy the loads you will be transporting are all key factors. There are specific models available to take you to extreme heights. Smaller models are commonly used for interior applications including warehouses and freight or factory settings. If you do not need the highest capacity model, there is no need to choose the largest unit available. There are extra platforms and railings available to provide additional safety measures. Scissor lifts are reliable and safe for a multitude of applications. Many safety inspections and specifications need to be maintained in order for these industrial machines to be available for sale. Scissor lifts enable us to finish tasks that normally are inaccessible or unreachable otherwise. As these machines vertically elevate, the machine is transported into the correct location before lifting occurs. The operator will ensure it is the proper position prior to engaging the lift. Many safety features have been incorporated into these units. It is essential to follow operational guidelines to maintain everyone’s safety. Scissor lifts offer a secure basket workspace making many tasks much safer than trying to complete while dangling off of a ladder or scaffolding. Most scissor lifts rely on internally mounted batteries within the lifts’ base for power. Electric scissor lifts need to be charged regularly; especially after prolonged work shifts. Many operations charge their equipment daily or change batteries every twelve hours. To facilitate scissor lift charging, the operator can park the machine close to an electrical outlet in a well-ventilated place. After the scissor lift is parked the emergency shut-off switch is activated for safety. The large red button found inside the lift or the basket, close to the charger or the control box is the emergency shut-off switch. Newer scissor lifts commonly have their battery charger on the right side of the unit. Older machines may feature a battery charger on the rear of the machine. The charger is plugged into the AC extension cord in an area that is well-ventilated and then the extension cord is plugged into an electrical outlet. The length of the electrical cord on the battery charger needs to be short to prevent damage or running over it. There is a high possibility of danger if the extension cord dropped out of the battery charger while the machine is in operation. Ideally, all of the lights on the charger should become illuminated after the scissor lift is plugged in. The batteries will automatically begin charging once plugged in. Once the unit is charged, the battery lights will turn green and the charger will turn off. Older scissor lift models rely on a meter to show whether zero volts have been attained after complete charging has occurred. This type of

charger automatically shuts down as well once charging is done. After the batteries are completely charged the scissor lift can complete another shift. It is common for warehouses and certain businesses to keep batteries charging around the clock to allow the scissor lift to operate 24 hours a day.